
Problem A. Watchmen

Input file: **standard input**
Output file: **standard output**
Time limit: 2 seconds
Memory limit: 256 megabytes

Watchmen are in a danger and Doctor Manhattan together with his friend Daniel Dreiberg should warn them as soon as possible. There are n watchmen on a plane, the i -th watchman is located at point (x_i, y_i) . They need to arrange a plan, but there are some difficulties on their way. As you know, Doctor Manhattan considers the distance between watchmen i and j to be $|x_i - x_j| + |y_i - y_j|$. Daniel, as an ordinary person, calculates the distance using the formula $\sqrt{(x_i - x_j)^2 + (y_i - y_j)^2}$.

The success of the operation relies on the number of pairs (i, j) ($1 \leq i < j \leq n$), such that the distance between watchman i and watchmen j calculated by Doctor Manhattan is equal to the distance between them calculated by Daniel. You were asked to compute the number of such pairs.

Input

The first line of the input contains the single integer n ($1 \leq n \leq 200\,000$) — the number of watchmen. Each of the following n lines contains two integers x_i and y_i ($|x_i|, |y_i| \leq 10^9$).

Output

Print the number of pairs of watchmen such that the distance between them calculated by Doctor Manhattan is equal to the distance calculated by Daniel.

Examples

standard input	standard output
3 1 1 7 5 1 5	2
6 0 0 0 1 0 2 -1 1 0 1 1 1	11

Note

In the first sample, the distance between watchman 1 and watchman 2 is equal to $|1 - 7| + |1 - 5| = 10$ for Doctor Manhattan and $\sqrt{(1 - 7)^2 + (1 - 5)^2} = 2 \cdot \sqrt{13}$ for Daniel. For pairs $(1, 1)$, $(1, 5)$ and $(7, 5)$, $(1, 5)$ Doctor Manhattan and Daniel will calculate the same distances.

Scoring

Tests for this problem are divided into three groups. For each group you earn points only if your solution passes all tests in this group and all tests in all **previous** groups.

Group	Tests	Points	Additional constrains		Comment
			n	X_i, Y_i	
0	1 – 2	0	–	–	Samples
1	3 – 23	50	$1 \leq n \leq 1000$	$-10\,000 \leq x_i, y_i \leq 10\,000$	–
2	–	50	–	–	–